







SR MAX allows you to reach magnificent milestones in excitement and handling. The perfect weight distribution and the frame made of a double cradle in steel, favour dynamic and precise handling in every situation. All of this without sacrificing the convenience of a scooter with a raised handlebar, ergonomic saddle and large, adjustable windshield.

Spirited, fluid and quick, SR MAX is available in two versions to cater for any need: 125 and 300, both with electronic injection to guarantee the highest level of performance, reducing fuel consumption and pollutant emissions to the minimum. Because SR MAX is dedicated to the most passionate and demanding spirits in circulation; just like you

TECHNOLOGY



30/06/11 11:04

WINNING LOOK

Aerodynamic front end with a silver grille, lateral insert with aluminium finishing, sports graphics and colours, analogue-digital instrument panel: SR MAX is inspired by the racing world in every detail.

SUPERIOR SAFETY

The braking system with generously sized discs (260mm - 240mm) together with the 15" wheels on the front and 14" on the rear, with wide radial tyres, guarantee maximum safety and road holding.

CAPABLE OF ANYTHING

Under the large and comfortable saddle, the compartment equipped with lighting and an electrical outlet can hold two helmets, one flip up, or a laptop bag.

MAX ACCESSORIES

Make your SR MAX even more unique and exciting by choosing from a range of accessories created exclusively to expand the functionality and comfort even more, always with unmistakable Aprilia style:

- Top box kit with the cover painted in same colour as vehicle containing
 1 flip up helmet
- Customised Aprilia bike cover
- Aprilia Electronic Alarm
- Practical and easy to wear universal leg cover

aprilia



SRMAX 300







SR MAX 300 i.e.

Facility	OLIACAD 4 strates simple sufficient	コト共存	-k:\\ \pi \(\frac{1}{2} \) \(\text{2.10} \) \(
Engine	QUASAR 4-stroke single cylinder	引擎	水冷四衝程SOHC單汽缸4汽門
Engine capacity	278 cc	排氣量	278 cc
Bore / Stroke	75 mm / 63 mm	缸徑×衝程	75 mm / 63 mm
Power	22.4 hp at 7,250 rpm	最大馬力	22.4 hp at 7,250 rpm
Torque	23 Nm at 6,000 rpm	最大扭力	23 Nm at 6,000 rpm
Valve timing system	Single overhead camshaft (SOHC) - 4 valves	驅動氣門系統	單凸輪軸(SOHC) - 4汽門
Fuel system	Electronic injection	供油系統	電子燃油噴注系統
Cooling	Liquid	冷卻系統	水冷
Lubrication	Wet sump	潤滑系統	水坑
Starter	Electric	起動	電動
Transmission	CVT with torque server	傳動系統	CVT無段變速,皮帶傳動
Clutch	Automatic, centrifugal dry clutch	離合器	全自動
Frame	Double cradle in high strength tubular steel	車架型式	雙翼樑鋼管車架
Front suspension	35 mm hydraulic telescopic fork	高拉力鋼管搖籃式車架	直徑35mm正立前叉
Rear suspension	Double shock absorber with three-position spring preload adjustment	後懸掛系統	雙筒油壓尾避震,3段預調
Front brake	260 mm Ø disc	前制動系統	260mm剎車碟配2活塞式卡鉗
Rear brake	240 mm Ø disc	後制動系統	240mm剎車碟配2活塞式卡鉗
Front wheel rim	Aluminium alloy 15" x 3.00	前輪框	鋁合金 15" x 3.00
Rear wheel rim	Aluminium alloy 14" x 3.50	後輪框	鋁合金 14" x 3.50
Front tyre	Tubeless 120/70-15"	前輪胎	原子胎 120/70-15
Rear tyre	Tubeless 140/60-14"	後輪胎	原子胎 140/60-14
Length / Width	2,110 mm / 780 mm	全長 / 全闊	2,110 mm / 780 mm
Wheelbase / Saddle height	1,515 mm / 815 mm	軸距/座位高度	1,515 mm / 815 mm
Fuel tank capacity	15 litres (including 2.8 litre reserve)	油箱容量	15 litres (including 2.8 litre reserve)
Emissions compliance	Euro 3	環保管制	歐盟三



SR MAX is an environmentally friendly vehicle compliant with Euro 3 regulations for exhaust and noise

Drive safely always wearing a helmet and protective clothing. Observe the laws of the road and respect the environment. Carefully read the owners' handbook. Photographs, technical data, specifications and colours shown in this brochure refer to the Italian market version and may be subject to change without prior notice. Ask your official Aprilia dealers for full details. In order to maintain your machine in a safe and efficient manner, always demand official Aprilia Spare Parts, which are guaranteed by Aprilia Quality Service in respect of current legislation. E & O E. Aprilia offers Aprilia Road Assistance, a call centre available 24 hours a day for information and road rescue. E. & O.E. Aprilia reserves the right to change colour/ specification without prior notice.



Find us on Facebook

港澳總代理 Exclusive Distributor of HK & Macau

亞林電單車有限公司

Ah Lam Motorcycle Co., Ltd.

香港九龍土瓜灣炮仗街150號地下

G/F., 150 Pau Chung Stree, Tokwawan, Kowloon, Hong Kong Tel: (852) 2385-0181 Fax: (852) 2782-7616 info@ahlam.com.hk

www.aprilia.com.hk

www.facebook.com/apriliaHK







trademark is the property of Piaggio & C. S.p.A.